Polymer Bulletin

© Springer-Verlag 1988

Author Index Volume 20 (1988)

Abe A, see Furuya H
Al-ghamdi AMS, Mark JE: Zeolites as reinforcing fillers in an elastomer 537
Audebert R, see Wang KT

Bai R-K, Huang M-Y, Jiang Y-Y: Selective permeabilities of chitosan-acetic acid complex membrane and chitosan-polymer complex membranes for oxygen and carbon dioxide 83
Barson CA, Bevington JC, Breuer SW, Huckerby TN: The reactions with initiating radicals of monomers having low ceiling temperatures. The cases of 2-isoprophenylnaphthalene with the 1-cyano-1-methylethyl and the benzoyloxy radicals 31
Bello A, see Pérez E
Bevington JC, see Barson CA
Bin C, see Guanying W
Biswas M, Mazumdar A, Mitra P: Benzene and anthraquinone sulfone derivatives of poly(N-vinylcarbazole) 323
Blanco MD, Teijon JM, Onrubia JA, Katime I: Thermodynamic properties of poly(ethyl methacrylate) in binary mixtures. III. Ethyl acetate/n-propanol 563
Bodycomb J, Hara M:Aggregation behavior of halato-telechelic ionomers in a low-polarity solvent. 1. Concentration dependence of aggregation 493
Bowman CN, Carver AL, Kennett SL, Williams MM, Peppas NA:Polymers for information storage systems. I. Preparation and properties of highly cross-linked polydimethacrylates 329
Brannon-Peppas L, Peppas NA: Structural analysis of charged polymeric networks 285
Breuer SW, see Barson CA
Buerkle K-R, Frank WFX, Stoll B: Infrared-spectroscopic investigations of molecular order in liquid crystalline side chain polymers 549

Cantow H-J, see Licht U
Cao WX, Lin GF, Li XY, Feng XD: Studies on the ring opening polymerization of caprolactone 117
Carver AL, see Bowman CN
Čefelín P, see Hrudková H
Chafi N, see Monthéard J-P
Chang J-H, see Jin J-I
Chen CC, see Kaszas G
Chen CC, see Puskas JE
Chen T, see Guo Q
Chen Y-Y, Hall HK, Jr.: Polycondensation of N-chlorobenzoquinonimines 37
Cheng SZD, Janimak JJ, Zhang A, Guan J, Chu A-L: A study on the correlation between rigid and oriented amorphous fractions in uniaxially drawn poly(ethylene-2,6-naphthalene dicarboxylate) 449
Chiantore O, Guaita M: Chain end initiated depolymerization in anionic poly(methylmethacrylate)s 201
Chiellini E, Senatori L, Solaro R: A new chiral poly(alkyl vinyl ether): synthesis and chiroptical properties 215
Chien JCW, see Mallin DT
Chu AL, see Cheng SZD
Chung IJ, see Shin BY
Ciobanu C, see Diaconu I
Craven IE, see Fujimori K

Dai G, Wu S, Sustic A, Xi F, Vogl O: Functional polymers. LIV. Photochemical behavior of 2(2-hydroxyphenyl)2H-benzotriazole derivatives. 2. Influence of substituents on the ultraviolet spectra of 2(2-hydroxyphenyl)2H-benzotriazoles 67

Daneault C, Kokta BV, Maldas D: Grafting of vinyl monomers onto wood fibers initiated by peroxidation 137
David G, see Simionescu CI
Delvin A, Ober CK: Liquid crystalline polyesters by staged-addition polycondensation 45
Diaconu I, Ciobanu C, Simionescu CI: Properties of urethane elastomers. II. Thermally stimulated depolarization currents from unsaturated polyester urethane elastomers based on 4,4'-dibenzyle diisocyanate 195
Dijkstra DJ, Pennings AJ: Cross-linking of porous gel-spun ultra-high molecular weight polyethylene by means of electron beam irradiation 557
Ding Y-X, Weber WP: Reaction of 1,4-poly(2-trimethylsilylmethyl-1,3-butadiene) with phenylsulfenyl chloride. Synthesis of poly(3-methylene-2-phenylthiobutane) 7
Dong J-H, Huang C-K, Jiang Y-Y: Selective permeation of CO_2 and O_2 by membrane of poly(maleic acid-co-styrene)-poly(ethylene glycol) interpolymer complexes 521
Douglas JF, see Gaylord RJ

Eichler E, see Fréchet JMJ
Eisenschmidt J, see Tänzer W

Farona MF, see Srinrivasan R
Fedtke M, see Tänzer W
Feng XD, see Cao WX
Finkelmann H, see Leube H

Polymer Bulletin

© Springer-Verlag 1988

Author Index Volume 20 (1988)

Abe A, see Furuya H
Al-ghamdi AMS, Mark JE: Zeolites as reinforcing fillers in an elastomer 537
Audebert R, see Wang KT

Bai R-K, Huang M-Y, Jiang Y-Y: Selective permeabilities of chitosan-acetic acid complex membrane and chitosan-polymer complex membranes for oxygen and carbon dioxide 83
Barson CA, Bevington JC, Breuer SW, Huckerby TN: The reactions with initiating radicals of monomers having low ceiling temperatures. The cases of 2-isoprophenylnaphthalene with the 1-cyano-1-methylethyl and the benzoyloxy radicals 31
Bello A, see Pérez E
Bevington JC, see Barson CA
Bin C, see Guanying W
Biswas M, Mazumdar A, Mitra P: Benzene and anthraquinone sulfone derivatives of poly(N-vinylcarbazole) 323
Blanco MD, Teijon JM, Onrubia JA, Katime I: Thermodynamic properties of poly(ethyl methacrylate) in binary mixtures. III. Ethyl acetate/n-propanol 563
Bodycomb J, Hara M:Aggregation behavior of halato-telechelic ionomers in a low-polarity solvent. 1. Concentration dependence of aggregation 493
Bowman CN, Carver AL, Kennett SL, Williams MM, Peppas NA:Polymers for information storage systems. I. Preparation and properties of highly cross-linked polydimethacrylates 329
Brannon-Peppas L, Peppas NA: Structural analysis of charged polymeric networks 285
Breuer SW, see Barson CA
Buerkle K-R, Frank WFX, Stoll B: Infrared-spectroscopic investigations of molecular order in liquid crystalline side chain polymers 549

Cantow H-J, see Licht U
Cao WX, Lin GF, Li XY, Feng XD: Studies on the ring opening polymerization of caprolactone 117
Carver AL, see Bowman CN
Čefelín P, see Hrudková H
Chafi N, see Monthéard J-P
Chang J-H, see Jin J-I
Chen CC, see Kaszas G
Chen CC, see Puskas JE
Chen T, see Guo Q
Chen Y-Y, Hall HK, Jr.: Polycondensation of N-chlorobenzoquinonimines 37
Cheng SZD, Janimak JJ, Zhang A, Guan J, Chu A-L: A study on the correlation between rigid and oriented amorphous fractions in uniaxially drawn poly(ethylene-2,6-naphthalene dicarboxylate) 449
Chiantore O, Guaita M: Chain end initiated depolymerization in anionic poly(methylmethacrylate)s 201
Chiellini E, Senatori L, Solaro R: A new chiral poly(alkyl vinyl ether): synthesis and chiroptical properties 215
Chien JCW, see Mallin DT
Chu AL, see Cheng SZD
Chung IJ, see Shin BY
Ciobanu C, see Diaconu I
Craven IE, see Fujimori K

Dai G, Wu S, Sustic A, Xi F, Vogl O: Functional polymers. LIV. Photochemical behavior of 2(2-hydroxyphenyl)2H-benzotriazole derivatives. 2. Influence of substituents on the ultraviolet spectra of 2(2-hydroxyphenyl)2H-benzotriazoles 67

Daneault C, Kokta BV, Maldas D: Grafting of vinyl monomers onto wood fibers initiated by peroxidation 137
David G, see Simionescu CI
Delvin A, Ober CK: Liquid crystalline polyesters by staged-addition polycondensation 45
Diaconu I, Ciobanu C, Simionescu CI: Properties of urethane elastomers. II. Thermally stimulated depolarization currents from unsaturated polyester urethane elastomers based on 4,4'-dibenzyle diisocyanate 195
Dijkstra DJ, Pennings AJ: Cross-linking of porous gel-spun ultra-high molecular weight polyethylene by means of electron beam irradiation 557
Ding Y-X, Weber WP: Reaction of 1,4-poly(2-trimethylsilylmethyl-1,3-butadiene) with phenylsulfenyl chloride. Synthesis of poly(3-methylene-2-phenylthiobutane) 7
Dong J-H, Huang C-K, Jiang Y-Y: Selective permeation of CO_2 and O_2 by membrane of poly(maleic acid-co-styrene)-poly(ethylene glycol) interpolymer complexes 521
Douglas JF, see Gaylord RJ

Eichler E, see Fréchet JMJ
Eisenschmidt J, see Tänzer W

Farona MF, see Srinrivasan R
Fedtke M, see Tänzer W
Feng XD, see Cao WX
Finkelmann H, see Leube H

Földes E, Iring M, Tüdős F: Degradation of HDPE and LLDPE in closed mixing chamber: a comparison. II. Changes of some physical and mechanical properties 89
Frank WFX, see Buerkle K-R
Fréchet JMJ, Kallman N, Kryczka B, Eichler E, Houlihan FM, Willson CG: Novel derivatives of poly(4-hydroxystyrene) with easily removable tertiary, allylic, or benzylic ethers 427
Fuji N, see Hatada K
Fujimori J, Masuda T, Higashimura T: Synthesis of poly[1-(trimethylsilyl)-1-propyne] with a narrow molecular weight distribution by using $NbCl_5$ catalyst in cyclohexane 1
Fujimori K, Schiller WS, Craven IE: Initial rate of alternating copolymerization of anethole with maleic anhydride in methyl ethyl ketone. Analysis by a complex model 355
Fukuda T, see Yamagishi T
Furuya H, Abe A: Deuterium NMR analysis of main-chain polymer liquid crystals 467

Gaylord RJ, Twardowski TE, Douglas JF: The localization model of rubber elasticity and the deformation of a network formed by cross-linking a strained melt 305
Goh SH, Siow KS: Interactions in poly(vinylidene fluoride)/poly(methyl methacrylate-co-ethyl methacrylate) blends 393
Grigoras M, see Simionescu CI
Guaita M, see Chiantore O
Guan J, see Cheng SZD
Guanying W, Bin C, Yixin Z: The synthesis of chlorine-terminated telechelic polyisobutylene. I. Investigation on cycloalkylation 221
Guanying W, Bin C, Yixin Z: The synthesis of chlorine-terminated telechelic polyisobutylene. II. Investigation of the chain transfer reaction 229
Guerra GD, Palla M, Pizzirani G, Soldani G: Graft and crosslinked copolymers by nucleophilic reaction between maleic anhydride copolymers and carbanions. II. Synthesis and characterization of copolymers with middle-low grafting degree and long lateral chains 123
Guo F-X, see Zheng J-Y
Guo Q, Chen T, Xia P, Li B, Wu S, Li L: Epoxy-terminated phenolphthalein poly(ether ether ketone). Reactive oligomers: cure with 4,4'-diaminodiphenylether 511
Guo Q, Huang J, Chen T: Miscibility of phenolphthalein poly(ether ether ketone) with poly(hydroxy ether of bisphenol A) and polysulfone 517

Hall HK, Jr., see Chen Y-Y
Hara M, see Bodycomb J
Hatada K, see Kitayama T
Hatada K, see Okamoto Y
Hatada K, Ute K, Okamoto Y, Imanari M, Fuji N: On-line GPC/NMR experiments using the isotactic poly(methyl methacrylate) with well-defined chemical structure 317
Heublein G, Knöppel G, Stadermann D: Synthesis of oxidation stabilized cyclopentadiene polymers via cationic copolymerization with 4-isopropenylphenol 109
Higashimura T, see Fujimori J
Higashimura T, see Sawamoto M
Higashimura T, see Tsuchihara K
Houlihan FM, see Fréchet JMJ
Hradil J, see Trochimczuk A
Hrudková H, Čefelín P, Janout V: Polymeric reagents. Poly(trifluoroacetoxymercurio)styrene. Preparation and use in reactions with alkyl halides 143
Huang B, see Li W
Huang C-H, see Dong J-H
Huang J, see Guo Q
Huang M-Y, see Bai R-K
Huang M-Y, see Yun Z
Huckerby TN, see Barson CA

Iliopoulos I, see Wang KT
Imanari M, see Hatada K
Iring M, see Földes E
Ito K, see Itsuno S
Itsuno S, Wakasugi T, Ito K: Preparation of polymer-supported amino acid 435
Iván B: Kinetic consequences of carbocationic grafting and blocking from and onto 365

Jamieson AM : Intramolecular dynamics of polystyrene in good solvents 75
Janimak JJ, see Cheng SZD
Janout V, see Hrudková H
Jenkins AD: Group transfer polymerisation of acrylonitrile 243
Jenkins AD, see Miller J
Jenkins AD, Tsartolia E, Walton DRM, Stejskal J, Kratochvil P: Statistical group-transfer copolymerisation. I. Monomer reactivity ratios for n-butyl methacrylate and methyl methacrylate 97
Jenkins AD, Wilson DJ: Photo-initiated cationic polymerisation for use in paper preservation 101
Jiang W, Weber WP: Reaction of E-1,4-poly(2-triethylsilyl-1,3-butadiene) with bromine. Stereoselective synthesis of Z-1,4-poly(2-bromo-1,3-butadiene) 15
Jiang W, Weber WP: Epoxidation of E-1,4-poly(2-triethylsilyl-1,3-butadiene) and E-1,4-poly-[2,3-bis(trimethylsilyl)-1,3-butadiene]. Stereochemical analysis of E-1,4-poly(2,3-epoxy-2-triethylsilyl-1,3-butadiene)and E-1,4-poly-[2,3-bis(trimethylsilyl)-1,3-butadiene] by ^{13}C and ^{29}Si NMR 249
Jiang Y, Wu S, Sustic A, Xi F, Vogl O: Functional polymers. LV. Photochemical behavior of 2(2-hydroxyphenyl)2H-benzotriazole derivatives. 3. Effects of the position of the substituents 161

Jiang Y, Wu S, Sustic A, Xi F, Vogl O: Functional polymers. LVI. Photochemical behavior of 2(2-hydroxyphenyl)2H-benzotriazole derivatives. 4. Spectroscopic study of ultraviolet absorbers with more than one 2(2-hydroxyphenyl)-2H-benzotriazole group and more than one ortho-hydroxy group in the molecule 169
Jiang Y-Y, see Bai RK
Jiang Y-Y, see Dong J-H
Jiang Y-Y, see Yun Z
Jin J-I, Chang J-H, Jo B-W: Dependence of properties of liquid crystalline aromatic copolyesters on monomer sequence-copolyesters derived from terephthalic acid, 2,7-naphthalenediol and p-hydroxybenzoid acid 525
Jin J-I, Lee S-H, Park H-J: Synthesis and properties of aromatic copolyesters with different monomer sequences 19
Jo B-W, see Jin J-I
Jorda R, Wilkes GL: A novel use of physical aging to distinguish immiscibility in polymer blends 479

Kallman N, see Fréchet JMJ
Kamigaito M, see Sawamoto M
Kaszas G, see Puskas JE
Kaszas G, Puskas JE, Chen CC, Kennedy JP: Electron pair donors in carbocationic polymerization. I. Introduction into the synthesis of narrow molecular weight distribution polyisobutylenes 413
Katime I, see Blanco MD
Kennedy JP, see Kaszas G
Kennedy JP, see Puskas JE
Kennett SL, see Bowman CN
Khan JM, see Wu E
Kim SC, see Lee YK
Kita H, Sakamoto T, Tanaka K, Okamoto K: Preparation of plasma-polymerized membranes from I-(trimethylsilyl)-I-propyne and gas permeability through the membranes 349
Kitayama T, Shinozaki T, Masuda E, Yamamoto M, Hatada K: Highly syndiotactic poly(methyl methacrylate) with narrow molecular weight distribution formed by tert-butyllithium-trialkylaluminum in toluene 505
Knöppel G, see Heublein G
Kokta BV, see Daneault C
Kolarz BN, see Trochimczuk A
Kratochvíl P, see Jenkins AD
Kratochvíl P, see Miller J
Kryczka B, see Fréchet JMJ

László-Hedvig ZS, see Tänzer W
Lee D-H, see Soga K
Lee S-H, see Jin J-I
Lee YK, Kim SC: Hydrophilic/hydrophobic IPN membranes for the pervaporation of ethanol-water mixture 261
Leube H, Finkelmann H: A "side-on" liquid crystalline polymer with the cholesterol moiety 53
Li B, see Guo Q
Li L, see Guo Q
Li S, see Liu R
Li W, Huang B: Study on the surface properties and morphology of blends of HDPE/PE-g-PDMS 531
Li X, see Zheng J-Y
Li XY, see Cao WX
Licht U, Cantow H-J: Interrelations between constitution, configuration and conformation in chlorinated polyalkenamers. 1. The polymer components 379
Licht U, Cantow H-J Interrelations between constitution, configuration and conformation in chlorinated polyalkenamers. 2. Interaction effects in solution and in polymer blends 387
Lin GF, see Cao WX
Liu R, Wu S, Li S, Xi F, Vogl O: Functional polymers. LIII. Photochemical behavior of 2(2-hydroxyphenyl)2H-benzotriazole derivatives. 1. Ultraviolet spectra and efficiency of photostabilization of 2(2-hydroxy-4-acryloxyphenyl)2H-benzotriazole, its polymers and copolymers 59
Lucchelli E, Tomka I, Vancso G, Yeh PL: Numerical evaluation of the thermodynamic equation for the state of polymer melts from pressure-volume-temperature (PVT) data 569

Mahajan SS, Sarwade BD, Wadgaonkar PP: Chemical modification of poly(2,6-dimethyl-1,4-phenylene oxide) by electrophilic substitution reaction with isocyanates 153
Mahajan SS, Sarwade BD, Wadgaonkar PP: Chemical modification of poly(2,6-dimethyl-1,4-phenylene oxide) by electrophilic substitution reaction with isocyanates 504 (Erratum)
Maldas D, see Daneault C
Malinge J, see Peloux J
Mallin DT, Rausch MD, Chien JCW: A comparison of Cp_2HfCl_2 versus Cp_2ZrCl_2 methylalumoxane catalysts 421
Mark JE, see Al-ghamdi AMS
Mark JE, see Sur GS
Mark JE, Wang S-B: Reinforcement from alumina-type fillers precipitated into an elastomer 443
Masuda E, see Kitayama T
Masuda T, see Fujimori J
Masuda T, see Tsuchihara K
Mazumdar A, see Biswas M
Meisters A, Moad G, Rizzardo E, Solomon DH: Thermal stability of poly(methyl methacrylate) 499
Miller J, Jenkins AD, Tsartolia E, Walton DRM, Stejskal J, Kratochvil P: The participation of crown ethers in the initiation of group-transfer polymerisation 247
Mitra P, see Biswas M
Miyamoto T, see Yamagishi T
Moad G, see Meisters A
Mohri H, see Okamoto Y

Monthéard J-P, Vergnaud J-M, Chafi N: Polymeric drugs carriers of methacrylic and acrylic derivatives 177

Nakano M, see Tsuchida A
Ni S, Wang L, Wang F: Electronic motion of $HClO_4$-doped polytoluidine studied by varying-frequency proton NMR relaxation 311
Nuyken O, Presenz U: Azo polymers - syntheses and reactions. 5. Azo group containing polycarbonates - synthesis, characterization and initiator properties 335

Ober CK, see Delvin A
Okamoto K-I, see Kita H
Okamoto Y, see Hatada K
Okamoto Y, Mohri H, Hatada K: Asymmetric polymerization of diphenyl-2-pyridylmethyl methacrylate leading to optically active polymer with high one-handed helicity 25
Okubo T: The viscosity of colloidal spheres in deionized suspension. The importance of charge density and monodispersity of polystyrene spheres 269
Onrubia JA, see Blanco MD

Palla M, see Guerra GD
Park H-J, see Jin J-I
Pascault JP, see Peloux J
Peloux J, Tighzert L, Pascault JP, Malinge J, Sillion B: Some aspects of reaction between epoxy and bisphenol 207
Pennings AJ, see Dijkstra DJ
Peppas NA, see Bowman CN
Peppas NA, see Brannon-Peppas L
Pereña JM, see Pérez E
Pérez E, Bello A, Pereña JM: Substituent effect on the glass transition temperature of polyoxetanes 291
Pizzirani G, see Guerra GD
Presenz U, see Nuyken O
Puskas JE, see Kaszas G
Puskas JE, Kaszas G, Chen CC, Kennedy JP: New polyisobutylene-based UV-curable flexible coatings 253

Rausch MD, see Mallin DT
Rizzardo E, see Meisters A
Roland CM, Trask CA: Miscibility limits in poly(vinylethylene) isotopic mixtures 471

Sakamoto T, see Kita H
Sarwade B, see Mahajan SS (Erratum)
Sarwade BD, see Mahajan SS
Sawamoto M, Kamigaito M, Higashimura T: Living cationic polymerization of isobutyl vinyl ehter by the diphenyl phosphate/zinc iodide initiating system 407
Schiller WS, see Fujimori K
Senatori L, see Chiellini E

Shin BY, Chung IJ: Interfacial effects on the viscosity and the morphology of a thermotropic liquid crystalline polymer 399
Shinozaki T, see Kitayama T
Sillion B, see Peloux J
Simionescu CI, see Diaconu I
Simionescu CI, Grigoras M, David G: Synthesis and polymerization of 2-(β-N-3'-halogencarbazolylethyl)-2-oxazolines 11
Siow KS, see Goh SH
Smid J, see Wu E
Soares BG, Souza Gomes A de: Spectrophotometric determination of the styrene content of alpha-methylstyrene-styrene copolymers 543
Soga K, Lee D, Yanagihara H: Copolymerization of ethylene with styrene using the catalyst system composed of Solvay-type $TiCl_3$ and $Cp_2Ti(CH_3)_2$ 237
Solaro R, see Chiellini E
Soldani G, see Guerra GD
Solomon DH, see Meisters A
Souza Gomez A de, see Soares BG
Srinrivasan R, Farona MF: Polymerization of terminal diynes by Niobium(V) catalysts 359
Stadermann D, see Heublein G
Stejskal J, see Jenkins AD
Stejskal J, see Miller J
Stoll B, see Buerkle K-R
Sultany CM: Determination of the miscibility of phosphorus additives in polymer matrices by high resolution solid state NMR 463
Sur GS, Mark JE: Grafting of polymer onto filler particles used to reinforce an elastomer 131
Sustic A, see Dai G
Sustic A, see Jiang Y
Švec F, see Trochimczuk A
Szesztay M, see Tänzer W

Tänzer W, Eisenschmidt J, Fedtke M: Crosslinking behaviour of diolmodified epoxies. 1. Kinetics and HPLC measurements 183
Tänzer W, Szesztay M, Laszlo-Hedvig Zs, Fedtke M: Crosslinking behaviour of diolmodified epoxies. 2. DSC measurements 189
Tanaka K, see Kita H
Teijón JM, see Blanco MD
Tighzert L, see Peloux J
Tomka I, see Lucchelli E
Trask CA, see Roland CM
Trochimczuk A, Hradil J, Kolarz BN, Švec F: The amine modified acrylonitrile-divinylbenzene copolymers in the phase transfer catalysis 149
Tsartolia E, see Jenkins AD
Tsartolia E, see Miller J
Tsuchida A, Nakano M, Yoshida M, Yamamoto M, Wada Y: Long-lived cation radical formation of aromatic amines in poly(methyl methacrylate) matrix at room temperature by two-photon excitation 297

Tsuchihara K, Masuda T, Higashimura T: Polymerization of (perfluoro-n-alkyl) acetylenes by WCl_6-Ph_4Sn and polymer properties 343
Tüdős F, see Földes E
Twardowski TE, see Gaylord RJ

Ute K, see Hatada K

Vancso G, see Lucchelli E
Vergnaud J-M, see Monthéard J-P
Vogl O, see Dai G
Vogl O, see Jiang Y
Vogl O, see Liu R

Wada Y, see Tsuchida A
Wadgaonkar P, see Mahajan SS (Erratum)
Wadgaonkar PP, see Mahajan SS
Wakasugi T, see Itsuno S
Walton DRM, see Jenkins AD
Walton DR, see Miller J
Wang F, see Ni S
Wang KT, Iliopoulos I, Audebert R: Viscometric behaviour of hydrophobically modified poly(sodium acrylate) 577
Wang L, see Ni S
Wang S-B, see Mark JE
Watanabe J, see Yamagishi T
Weber WP, see Ding Y-X
Weber WP, see Jiang W
Wilkes GL, see Jorda R
Williams MM, see Bowman CN
Willson CG, see Fréchet JMJ
Wilson DJ, see Jenkins AD
Wu E, Khan IM, Smid J: Comb polysiloxanes with ω-hydroxyoligo(oxyethylene) side chains 455
Wu S, see Dai G
Wu S, see Guo Q
Wu S, see Jiang Y
Wu S, see Liu R

Xi F, see Dai G
Xi F, see Jiang Y
Xi F, see Liu R
Xia P, see Guo Q
Xu D-F, see Zheng J-Y

Yamagichi T, Fukuda T, Miyamoto T, Watanabe J: Thermotropic cellulose derivatives with flexible substituents. II. Effect of substituents on thermal properties 373
Yamamoto M, see Kitayama T
Yamamoto M, see Tsuchida A
Yanagihara H, see Soga K
Yeh PL, see Lucchelli E
Yixin Z, see Guanying W
Yoshida M, see Tsuchida A
Yun Z, Huang M-Y, Jiang Y-Y: Gas permeability of hydrogen-bonding interpolymer complex and their metal-ion complex membranes 277

Zhang A, see Cheng SZD
Zheng J-Y, Guo F-X, Li X, Xu D-F: Phase separated domain structure of poly(vinyl butyral) 487

Subject Index Volume 20 (1988)

Acetylenes, fluorine-containing aromatic 343
-, aliphatic fluorine-containing 343
Acid iodide 407
Acrylic derivatives 177
Acrylonitrile, group transfer polymerization 243
Acrylonitrile-divinylbenzene copolymers 149
Acryloyl chloride 177
Aging, physical 479
Aggregation 493
Aliphatic acetylenes, fluorine-containing 343
Alkylacetates 143
Alkyltrifluoroacetates 143
Alkyl vinyl ether, chiral 215
Alumina-type fillers 443
Amono acid, polymer-supported 435
2-Amino-thiazole 177
Anethole/maleic anhydride 355
Aniline Black 37
Anionic initiators, chiral 25
Anthraquinone 37
Anthraquinone sulfone 323
Anthraquinonesulfonyl chlorides 323
Antioxidants 109
Antithyroid agent 177
Aromatic copolyester 19
Aspen 137
Azetylenes
Azo polymers 335
BADGE 183, 189
Benzoyloxy radicals 31
Binary mixtures 563
Biocompatible polymer 177
Bisphenol A 517
-, diglycidyl ether of 183, 189
Blends 379, 387, 393, 531
-, polymer 479
Blocking from and onto 365
tert-Butyllithium-trialkylaluminum 505
n-Butyl methacrylate 97

Caprolactone 117
Carbanions 123
Carbazole 11
Carbocationic grafting 365
Carbocationic polymerization 229, 413
Catalysts 1, 149, 247
-, Cp_2HfCl_2/MAO 421
-, cyclotrimerization 359
-, NbCl. 1, 359 5index
-, WCl_6-Ph_4Sn 343
-, cationic 215
-, Ziegler-Natta 237
Cationic copolymerization 109
Cationic grafting 365
Cationic polymerization 229
--, living 407

Cellulose 137
-, therotropic 373
-, acid hydrolysis 101
Chemithermomechanical pulp 137
Chiral lithium complexes 25
Chiroptical properties 215
Chitin 83
Chitosan-acetic acid 83
Chitosan-polymer 83
Chlorinated polyalkenamers 387
Chlorinated polymers 379, 387
N-Chlorobenzoquinonimines, polycondensation 37
Cholesterol 53
Cholesteryl derivatives, 6-alkenyl substituded 53
Chromophores 297
Coatings, UV-curable flexible 253
Copolyesters, armatic 19
-, liquid crystalline aromatic 525
Copolymerization 237
-, alternating 355
Cp_2HfCl_2/MAO, catalysts 421
$Cp_2Ti(CH_3)_2$ 237
Cross-linked networks 305
Crosslinking 183, 189
Crown ethers 247
1-Cyano-1-methylethyl radicals 31
Cycloalkylation 221
Cyclopentadiene 109

DBDI 195
Degradation, thermal 201
Degradation of papers 101
Deionized colloidal suspensions 269
Depolymerization 201
Deuterium NMR 467
4,4'-Diaminodiphenylether 511
4,4'-Dibenzyle diisocyanate 195
Dichroism, infrared 549
Diglycidyl ether of bisphenol A 183, 189
Dihydroxy polyaryleneoxy-2,6 pyridylene 207
N,N-Dimethylbenzylamine 183, 189
Diolmodified, epoxies 189
Diphenyl phosphate/zinc iodide 407
Diphenyl-2-pyridylmethyl methacrylate 25
Diynes, terminal 359
Drug delivery systems 117
Drug release 177

Elasticity, rubber 305
Elastomers 131, 537
-, polyurethane 195
-, reinforced 443
Electron pair donors 413
Epoxies, diolmodified 183
Epoxy and bisphenol 207
Epoxy monomers 137
Epoxy networks 207
Epoxy novolac prepolymers 207
Epoxypropyl acrylate 137
Epoxypropyl methacrylate 137
alpha,beta-Epoxysilanes 249
Epoxy systems 511
Ethanol-water mixture 261
Ethyl acetate/n-propanol 563
Ethylene 237, 421
Ethylene/styrene, copolymer 237
Excitation, two-photon 297

Fillers 131
-, alumina-type 443
-, reinforcing 537
Film 253
Fluorine-containing polymers 343
Functional polymers 161, 169

Gas permeability 277, 349
Gastric liquid 177
GPC 317
Grafting 123, 131, 137
-, carbocationic 365
Group-transfer copolymerization 97, 243
Group-transfer polymerization 247
GTP 242, 247

Halato-telechelic ionomers 493
2-(ß-N-3'-Halogencarbazolylethyl)-
-2-oxazolines 11
Hardwood 137
HDPE 89
HDPE/PE-g-PDMS 531
Hydrophobic groups 577
p-Hydroxybenzoic acid 525
omega-Hydroxyoligo(oxyethylene) 455
2(2-Hydroxyphenyl)2H-benzotriazole 59, 67, 161, 169

Immiscibility 479
Information storage 329
Initiating systems, carbocationic 413
Initiators 243
-, polymeric 335
Interpolymer complexes 277
Ionomers, halato-telechelic 493
IPN membranes 261
Irradiation 557
Isobutylene 229
Isobutyl vinyl ether 407
Isocyanates 153
4-Isopropenylphenol 109
2-Isoprophenylinaphthalene 31

LC polyesters 45
Liquid crystalline polyesters 45
Liquid crystalline polymer 53
Liquid crystalline side chain polymers 549
Living cationic polymerization 407
Living polymerization 407
LLDPE 89

Maleic anhydride 123, 355
Marquardt algorithm 569
Melts 569
-, strained 305
Membranes 83, 261
-, gas permeability 349
-, hydrogen-bonding interpolymer complex 277
-, metal-ion complex 277
-, plasma-polymerized 349
-, polymeric 521
Mercurized polymers 143
Mercury(II) trifluoroacetate 143
Methacrylic acid 137
Methacrylonitrile 243

Methacryloyl chloride 177
Methylalumoxane 421
Methyl methacrylate 97, 131, 335, 499
alpha-Methylstyrene-styrene 543
Miscibility 471
MMA 505
Modification 7, 15
Monochloroiminies 37
Monomer reactivity 97

2,7-Naphthalenediol 525
$NbCl_5$ catalyst 1
-, cyclotrimerization catalyst 359
Networks, charged polymeric 285
Nobium (V) catalysts 359
Novolac epoxy 207

Oligo(methyl methacrylate), monodisperse 499
Organomercuric compounds 143
Oxazoline monomers 11
Oxidation of cellulose 137
Oxidation stabilizers 209
Oxidative degradation 119

PAOP 207
Paper preservation 101
PDMS 443, 531
PE-g-PDMS 531
PEN 449
(Perfluoro-n-alkyl)acetylenes 343
Peroxidation 137
Pervaporation 261
Phase transfer catalysis 149
Phenolic resins 427
Phenolphthalein poly(ether ether ketone) 511, 517
Phenoxy 517
Phosphorus additives 463
Photodegradation 59, 67
Photoexcitation 297
Photo-initiating cationic polymerization 101
Photoionization 297
Photolysis 297
Photostabilizers 59, 67, 161
Physical aging 479
PIB 253, 413
Plasma-polymerized membranes 349
Plasticizers 387
PMMA 201, 297, 317, 393, 499
-, isotactic 505
-, syndiotactic 505
Polyacrylates 549
Poly(acrylic acid) 577
Polyalkenamers, chlorinated 379, 387
Poly(alkyl vinyl ether), chiral 215
Polyaminoquinone 37
Polyaniline 311
Polyaryloxypyridine 207
Z-1,4-Poly(2-bromo-1,3-butadiene) 15
Polybutadiene 493
Polybutylmethacrylate 387
Polycarbonates, azo group containing 335
Polycaprolactone 117
Polycondensation, staged-addition 45
Poly-1,2-dichloroalkanes 379
Polydienes 109
Polydimethacrylates, crosslinked 329
Poly(2,6-dimethyl-1,4-phenylene oxide) 153
Poly(dimethylsiloxane) 443, 531, 537
Poi/electrolytes 577
Polyesters, liquid crystalline 45
-, nematic liquid crystal 399
Polyester urethane elastomers 195
Poly(ether ether ketone) 517
-, phenolphthalein 511
Polyethylene 557
-, high-density 531
-, porous 557
-, ultra-high molecular weight 557
Poly(ethylene glycol) 521
Poly(ethylene-2,6-naphthalene dicarboxylate) 449
Poly(ethyl methacrylate) 393, 563
Poly(hydroxy ether of bisphenol A) 517
Poly(4-hydroxystyrene) 427
Polyisobutylenes 413
-, chlorine-terminated telechelic 221, 229
Poly(maleic acid-co-styrene)-
-poly (ethylene glycol) 521
Poly(maleic anhydride-co-styrene) 521
Polymer blends 479
Polymer-filler blending techniques 443
Polymeric drugs 177
Polymeric networks, charged 285
Polymeric reagents 143
Polimerization, carbocationic 413
Polymer liquid crystals, main-chain 467
Polymer membranes 83, 277
Polymer modification 153
Polymers, chlorinated 379, 387
-, plasticized 379
Poly(3-methylene-2-phenylthiobutane) 7
Poly(methyl methacrylate) 131, 297
-, anionic 201
-, isotactic 317
-, syndiotactic 505
-, thermal stability 499
Poly(methyl methacrylate-co-
-ethyl methacrylate) 393
Poly(methylsiloxanes) 455
Poly(alpha-methylstyrene) 543
Polyoxetanes 291
Polyquinonimines, aromatic 37
Polysiloxanes, comb 455
Poly(sodium acrylate) 577
Polystyrene 261, 543
-, intramolecular dynamics 75
Polystyrene spheres 269
Polysulfone 517
Poly(tetrafluoroethylene) 343
Polytoluidine, $HClO_4$-doped 311
E-1,4-Poly(2-triethylsilyl-1,3-butadiene) 249
Poly(trifluoroacetoxymercurio)styrene 143
Poly/1-(trimethylsilyl)-1-propyne/ 1, 349
E-1,4-Poly-/2,3-bis(trimethylsilyl)-
-1,3-butadiene/ 249
Polyurethanes 195, 261
Poly(vinyl butyral) 487
Polyvinylcarbazole 11
Poly-N-vinylcarbazoles, sulfonated 323
Polyvinylchloride 387
Poly(vinylethylene), isotopic mixtures 471
Poly(vinylidene fluoride) 393
PPO 153
Preservation of foods 521
Preservations 83

Pressure-volume-temperature 569
(S)-1,2-Propanediol 215
Pulp 137

Random copolymers, amorphous 487
Reactivity ratios 97
Reinforcing filler 131
Resins, crosslinked polystyrene 435
Ring opening polymerization 117
Rubber elasticity 305

Side chain polymers, liquid crystalline 549
Silanes, monomeric allylic 7
-, polymeric vinyl 15
Silicates 537
Solvay type $TiCl_3$ 237
Stabilizers, phosphorus 463
Strained melt 305
Styrene 237
Styrene-alpha-methylstyrene 543
Styrene copolymers 543
Suspensions, deionized 269
Swelling 285
Swollen networks 285
Syndiotacticity 505

Telechelic polyisobutylenes, chlorine-terminated 221, 229
Terephthalic acid 525
Terminal diynes 359
Tetra(dimethyl-amido)titanium 243
Thermal degradation 359
Thermal properties 373
Thermodynamic equation 569
Thermogravimetry 499
Thermotropic behavior 373
Thermotropic liquid crystalline polymer 399
Thin films 487
$TiCl_3$ 237
Titanium amides 243
Transparent coatings 253
Trifluoroacetates 143
Triheptanoate 373
1-(Trimethylsilyl)-propyne 1
1-(Trimethylsilyl)-1-propyne 349
Tri-O-2-butoxyethyl cellulose 373
Tri-O-heptyl cellulose 373
Triphenylmethyl methacrylate 25
TSDC 195
Two-photon excitation 297

UHMWPE, porous gel-spun 557
Ultraviolet absorbers 59, 161, 169
Ultraviolet stabilizer 67, 161, 169
Uretane elastomers 195
UV curing 253
UV sensitizer 253

Vinyl ethers 407
2-Vinylnaphthalene 31
Vinyl silanes 249
-, polymeric 15
Viscosities 269, 399
Viscosification 577

WCl_6-Ph_4Sn catalyst 343
Wood fibers 137

Zeolites 537
Ziegler-Natta catalysts 237
Zirconocene dichloride 421

Indexed in *Current Contents*